

# Consistent Knowledge Discovery from Evolving Ontologies

**Freddy Lécué**

IBM Dublin Research Center, Ireland  
freddy.lecue@ie.ibm.com

**Jeff Z.Pan**

University of Aberdeen, UK  
jeff.z.pan@abdn.ac.uk

## Abstract

Deductive reasoning and inductive learning are the most common approaches for deriving knowledge. In real world applications when data is dynamic and incomplete, especially those exposed by sensors, reasoning is limited by dynamics of data while learning is biased by data incompleteness. Therefore discovering consistent knowledge from incomplete and dynamic data is a challenging open problem. In our approach the semantics of data is captured through ontologies to empower learning (mining) with (Description Logics) reasoning. Consistent knowledge discovery is achieved by applying generic, significative, representative association semantic rules. The experiments have shown scalable, accurate and consistent knowledge discovery with data from Dublin.

## Introduction and Related Work

Knowledge discovery, as an area focusing upon methodologies for extracting knowledge through deduction (a priori) or from data (a posteriori), has been largely studied in Database and Artificial Intelligence. Deductive reasoning e.g., logic reasoning (Reiter 1980) gains logically knowledge from pre-established (certain) knowledge statements, while inductive inference such as data mining (Agrawal, Imielinski, and Swami 1993) or learning (Fanizzi, d'Amato, and Esposito 2010; Völker and Niepert 2011) discovers (uncertain) knowledge by generalizing from initial information.

Data is dynamic, incomplete, especially when exposed through sensors (Labrinidis and Jagadish 2012). Tracking phenomena with multiple sensor readings is a challenging problem. From traffic diagnosis (Lécué 2012), systems monitoring (Song et al. 2014) to disease transmission prediction (Sadilek, Kautz, and Silenzio 2012), all are examples of scenarios where consistent knowledge needs to be derived from dynamic, incomplete data. Reasoning is strongly restricted by dynamics, variance, noisiness of data, enforcing knowledge to be regularly revisited (Anicic et al. 2011). Recent works in stream reasoning (Valle et al. 2009) handle the dynamics of semantic querying but are very limited in reasoning, and fail in recovering knowledge from data. Although (Lécué and Pan 2013) exposed benefits in combining reasoning and learning, the shortcomings are lack of scalability, over-specification of rules, non-integration to reasoning

systems. On the other hand inductive learning is limited by the large fluctuation of rules abstraction and its (high) theoretical complexity. Learning is also heavily biased by data incompleteness and inconsistency, making knowledge subject to incorrectness (Dietterich and Michalski 1981). They follow classic (raw) data mining techniques i.e., identification of patterns using distance metrics (Ramaswamy, Rastogi, and Shim 2000) between syntactic values. (Srikant and Agrawal 1995) capture such patterns through frequent itemset mining (Agrawal et al. 1996). Their approach discovers recurring sequences of syntactic items and implication rules among those items e.g., rules “*buying milk implies buying bread* with a confidence of 70%” are learnt in market basket analysis. (Dehaspe and Raedt 1997) constrain all rules to be represented following inductive logic programming (ILP), which significantly improve scalability. Although metrics have been used to measure the *quality* of the derived rules, previous approaches fail in deriving scalable, accurate, and consistent knowledge. In this respect (Galárraga et al. 2013) tackles the scalability issue when performing rule mining on semantic data but does not in the context of evolving data.

We address “*discovery of consistent knowledge from dynamic semantic data*”. Given continuous knowledge, how do we capture a minimal albeit representative set of time-evolving trends to discover accurate, consistent knowledge? The semantics of data is captured through OWL (*Web Ontology Language*) ontologies, which are underpinned by Description Logics (DL) (Baader and Nutt 2003). Key contributions include: (1) We design the first algorithm to learn DL rules, which are strictly more expressive than DL axioms and Datalog rules. (2) By exploiting the expressiveness of DL rules, we introduce the notions of significative, representative association DL rules, enabling precise identification of fundamental rules. The benefits of combining learning and reasoning, validated in experiments, are: (i) logical representation of learnt rules, (ii) classification, and abstraction of rules, (iii) tight integration of rules in reasoning; (iv) scalability, (v) accuracy of consistent knowledge discovery.

Next section reviews the adopted logic and rule representation together with dynamic ontology (knowledge). Then we present inductive learning in dynamic ontologies. The next section presents how representative rules drive consistent knowledge discovery. Finally, we report experiments with real data from Dublin City and draw some conclusions.

## Background

Evolving and static background knowledge are represented using an ontology. We focus on DL to define ontologies since it offers good reasoning support for most of its expressive families and compatibility to W3C standard OWL 2. We illustrate our work with DL  $\mathcal{EL}^{++}$  (Baader, Brandt, and Lutz 2005). The selection of this DL fragment, which is the logic behind the basis of many more expressive DL, has been guided by (i) the semantics expressed by data in our application cf. Experimental Results, lessons learned, (ii) its polynomial time reasoning (satisfiability, subsumption) when combined with  $\mathcal{EL}^{++}$  rules. We review (i) DL basics of  $\mathcal{EL}^{++}$ , (ii)  $\mathcal{EL}^{++}$  atomsets and rules, (iii) evolving ontologies and the underlying reasoning.

### Description Logics $\mathcal{EL}^{++}$

A signature  $\Sigma$ , noted  $(\mathcal{N}_C, \mathcal{N}_R, \mathcal{N}_I)$  consists of 3 disjoint sets of (i) atomic concepts  $\mathcal{N}_C$ , (ii) atomic roles  $\mathcal{N}_R$ , and (iii) individuals  $\mathcal{N}_I$ . Given a signature, the top concept  $\top$ , the bottom concept  $\perp$ , an atomic concept  $A$ , an individual  $a$ , an atomic role expression  $r$ ,  $\mathcal{EL}^{++}$  concept expressions  $C$  and  $D$  in  $\mathcal{C}$  can be composed with the following constructs:

$$\top \mid \perp \mid A \mid C \sqcap D \mid \exists r.C \mid \{a\}$$

The DL ontology  $\mathcal{O} \doteq \langle \mathcal{T}, \mathcal{A} \rangle$  is composed of a TBox  $\mathcal{T}$ , and an ABox  $\mathcal{A}$ . A TBox is a set of concept and role axioms.  $\mathcal{EL}^{++}$  supports General Concept Inclusion axioms (GCIs e.g.  $C \sqsubseteq D$ ), Role Inclusion axioms (RIs e.g.,  $r \sqsubseteq s$ ). An ABox is a set of concept assertion axioms e.g.,  $C(a)$ , role assertion axioms e.g.,  $R(a, b)$ , individual in/equality axioms e.g.,  $a \neq b$ ,  $a = b$ . In this paper, we assume acyclic TBoxes which entail finitely instance statements.

**Example 1. (TBox and ABox Concept Assertion Axioms)** Figure 1 presents (i) a TBox  $\mathcal{T}$  where *DisruptedRoad* (4) denotes the concept of “roads which are adjacent to an event causing high disruption”, (ii) concept assertions (16-18) denoting the individual  $r_0$  having  $r_{i,1 \leq i \leq 3}$  as adjunct roads.

$SocialEvent \sqcap \exists type.Music \sqsubseteq Event \sqcap \exists disruption.Steady$	(1)
$SocialEvent \sqsubseteq Event$	(2)
$Incident \sqcap \exists impact.Serious \sqsubseteq Event \sqcap \exists disruption.High$	(3)
$Road \sqcap \exists adj.(\exists occur.(\exists disruption.High)) \sqsubseteq DisruptedRoad$	(4)
$BusRoad \sqcap \exists travel.Long \sqsubseteq Road \sqcap \exists with.CongestedBus$	(5)
$Road \sqcap \exists with.Bus \sqsubseteq BusRoad$	(6)
$Road(r_0)$	(7)
$Steady \sqsubseteq High$	(8)
$Stop \sqsubseteq Long \sqsubseteq Abnormal$	(9)
$Bus(b_1)$	(10)
$Bus(b_2)$	(11)
$Bus(b_3)$	(12)
$Road(r_1)$	(13)
$Road(r_2)$	(14)
$Road(r_3)$	(15)
$adj(r_0, r_1)$	(16)
$adj(r_0, r_2)$	(17)
$adj(r_0, r_3)$	(18)

Figure 1:  $\mathcal{O} \doteq \langle \mathcal{T}, \mathcal{A} \rangle$ . Sample of TBox  $\mathcal{T}$  and ABox  $\mathcal{A}$ .

Table 1 sketches some completion rules (Baader, Brandt, and Lutz 2005) that are used to classify  $\mathcal{EL}^{++}$  TBox  $\mathcal{T}$  and entail subsumption. Reasoning with such rules is PTime-Complete (Baader, Brandt, and Lutz 2008).

### $\mathcal{EL}^{++}$ Atom, Atomsets, Binding and Rule

We consider  $\mathcal{EL}^{++}$  with (i) concept expressions  $\mathcal{C}$ , role names  $\mathcal{N}_R$ , individual names  $\mathcal{N}_I$ , and (ii) a countable set of first-order variables  $\mathcal{V}$ .

**Atomset:** Given terms  $x_1, x_2 \in \mathcal{V} \cup \mathcal{N}_I$ , a concept (role) atom is a formula  $C(x_1) (R(x_1, x_2))$  with  $C \in \mathcal{C} (R \in \mathcal{N}_R)$ . We use finite sets (*atomsets*)  $\mathbb{B}$  of (concepts, roles) atoms for representing conjunction  $\forall \vec{x}. \bigwedge B$  where  $\vec{x} \doteq x_1, \dots, x_n \in \mathcal{V}$  are variables of atoms  $B \in \mathbb{B}$  which could be shared.

$R_1$	If $X \sqsubseteq A, A \sqsubseteq B$ then $X \sqsubseteq B$
$R_2$	If $X \sqsubseteq A_1, \dots, A_n, A_1 \sqcap \dots \sqcap A_n \sqsubseteq B$ then $X \sqsubseteq B$
$R_3$	If $X \sqsubseteq A, A \sqsubseteq \exists r.B$ then $X \sqsubseteq \exists r.B$
$R_4$	If $X \sqsubseteq \exists r.A, A \sqsubseteq A', \exists r.A' \sqsubseteq B$ then $X \sqsubseteq B$
$R_5$	If $X \sqsubseteq \exists r.A, A \sqsubseteq \perp$ then $X \sqsubseteq \perp$
$R_6$	If $X \sqsubseteq \exists r.A, r \sqsubseteq s$ then $X \sqsubseteq \exists s.A$
$R_7$	If $X \sqsubseteq \exists r_1.A, A \sqsubseteq \exists r_2.B, r_1 \circ r_2 \sqsubseteq r_3$ then $X \sqsubseteq \exists r_3.B$

Table 1:  $\mathcal{EL}^{++}$  TBox Completion Rules (no datatypes).

**Atomset Binding:** Atomsets can be seen as conjunctive queries (Glimm et al. 2007) without non-distinguished variables. The arity of an atomset is the number of variables in an atomset. We write  $\mathcal{T}, \mathcal{A} \models \mathbb{B}[\vec{a}]$  to denote that  $\vec{a} \in \mathcal{N}_I$  is an answer to query  $\mathbb{B}$ . In other words the variables  $\vec{x}$  of atomset  $\mathbb{B}$  are bound (mapped) by  $\vec{a}$ . In the rest of the paper we used the terms *answer* and *binding* interchangeably.  $bind(\mathbb{B}, \mathcal{T} \cup \mathcal{A})$  is the set of all bindings to  $\mathbb{B}$  w.r.t.  $\mathcal{T}, \mathcal{A}$ .

**Example 2. (Atomset & Binding w.r.t.  $\mathcal{O}$  in Figure 1)**

Given atomset  $\mathbb{B} \doteq \{adj(x, r_1)\}$ ,  $bind(\mathbb{B}, \mathcal{O})$  is  $\{(r_0)\}$ .

**Atomset Containment:** Let  $\mathcal{T}$  be a TBox,  $\mathbb{B}, \mathbb{C}$  atomsets with the same arity. Then  $\mathbb{B}$  is contained in  $\mathbb{C}$  w.r.t.  $\mathcal{T}$ , written  $\mathbb{B} \subseteq_{\mathcal{T}} \mathbb{C}$ , if for all consistent ABoxes  $\mathcal{A}$  w.r.t.  $\mathcal{T}$ , we have  $bind(\mathbb{B}, \mathcal{T} \cup \mathcal{A}) \subseteq bind(\mathbb{C}, \mathcal{T} \cup \mathcal{A})$ .

**Example 3. (Atomset Containment w.r.t.  $\mathcal{O}$  in Figure 1)**

Let  $\mathbb{B}, \mathbb{C}$  be atomsets  $\{(19)\}$  and  $\{(20)\}$ ;  $\mathcal{A}'$  be  $\{Event(e_1), Event(e_2), SocialEvent(e_1)\}$ .  $\mathbb{B} \subseteq_{\mathcal{T}} \mathbb{C}$  for  $\mathcal{A}'$  since all bindings (answers) of  $\mathbb{B}$  are also bindings of  $\mathbb{C}$ .

$$SocialEvent(x) \quad (19) \quad Event(x) \quad (20)$$

**$\mathcal{EL}^{++}$  Rules:**  $\mathcal{EL}^{++}$  rules (Krötzsch, Rudolph, and Hitzler 2008) extends  $\mathcal{EL}^{++}$  expressivity while maintaining polynomial time complexity of many typical inference problems. Given atomsets  $\mathbb{B}, \mathbb{H}$ , and all variables  $\vec{x} \in \mathcal{V}$  of atomset  $\mathbb{B} \cup \mathbb{H}$ , an  $\mathcal{EL}^{++}$  rule is a formula  $\mathbb{B} \rightarrow \mathbb{H}$ , such that  $\mathbb{B}$  is cycle free and does not contain atom of the form  $R(x, x)$ .

**Example 4. ( $\mathcal{EL}^{++}$  Rule)**

Below rule denotes “if  $x_3$  is adjacent to a  $x_2$  where a highly disruptive event  $x_1$  occurs then buses are congested in  $x_3$ ”.  $\{(23)\}$  is atomset  $\{(Road \sqcap \exists with.CongestedBus)(x_3)\}$ .

$$(Event \sqcap \exists disruption.High)(x_1) \wedge \quad (21)$$

$$occur(x_2, x_1) \wedge adj(x_3, x_2) \quad (22)$$

$$\rightarrow (Road \sqcap \exists with.CongestedBus)(x_3) \quad (23)$$

## Dynamics of Knowledge as Evolving Ontologies

We represent dynamics of knowledge by an evolution of ontologies in Definition 1 (Huang and Stuckenschmidt 2005).

**Definition 1. (DL  $\mathcal{L}$  Evolving Ontology)**

A DL  $\mathcal{L}$  evolving ontology  $\mathcal{P}_m^n$  from point of time  $m$  to point of time  $n$  is a sequence of (sets of) Abox axioms  $(\mathcal{P}_m^n(m), \mathcal{P}_m^n(m+1), \dots, \mathcal{P}_m^n(n))$  w.r.t a static TBox  $\mathcal{T}$  in a DL  $\mathcal{L}$  where  $m, n \in \mathbb{N}$  and  $m < n$ .

$\mathcal{P}_m^n(i)$  is a snapshot of an evolving ontology  $\mathcal{P}_m^n$  at time  $i$ , referring to ABox axioms with respect to a TBox in  $\mathcal{L}$ . We will consider evolving ontologies  $\mathcal{P}_0^n$  for the sake of clarity.

**Example 5. (DL  $\mathcal{EL}^{++}$  Evolving Ontology)**

Figure 2 illustrates  $\mathcal{EL}^{++}$  evolving ontologies  $\mathcal{P}_0^9$ ,  $\mathcal{Q}_0^9$ ,  $\mathcal{R}_0^9$ , related to events, travel time, buses, through snapshots at time  $i \in \{5, 6, 7\}$ . Their dynamic knowledge is captured by evolving ABox axioms e.g., (27) captures  $e_2$  as “a social music event occurring in  $r_2$ ” at time 6 of  $\mathcal{P}_0^9$ .

By applying rules in Table 1 on static knowledge  $\mathcal{T}$ , evolving ontology  $\mathcal{P}_0^n$ , snapshot-specific axioms are inferred.

$\mathcal{P}_0^9(5) : (Event \sqcap \exists disruption.High)(e_1), occur(r_1, e_1)$	(24)
$\mathcal{Q}_0^9(5) : (Road \sqcap \exists travel.Long)(r_1)$	(25)
$\mathcal{R}_0^9(5) : with(r_1, b_1)$	(26)
$\mathcal{P}_0^9(6) : (SocialEvent \sqcap \exists type.Music)(e_2), occur(r_2, e_2)$	(27)
$\mathcal{Q}_0^9(6) : (Road \sqcap \exists travel.Abnormal)(r_2)$	(28)
$\mathcal{R}_0^9(6) : with(r_2, b_2)$	(29)
$\mathcal{P}_0^9(7) : (Incident \sqcap \exists impact.Serious)(e_3), occur(r_3, e_3)$	(30)
$\mathcal{Q}_0^9(7) : (Road \sqcap \exists travel.Stop)(r_3)$	(31)
$\mathcal{R}_0^9(7) : with(r_3, b_3)$	(32)

Figure 2: Evolving Ontologies  $\mathcal{P}_0^9(i), \mathcal{Q}_0^9(i), \mathcal{R}_0^9(i)_{i \in \{5,6,7\}}$ .

**Example 6. (Reasoning in Evolving Ontology)**

(33), (34), as dynamic knowledge are entailed from axioms of  $\mathcal{O}$  in Figure 1 and evolving ontologies  $\mathcal{P}_0^9, \mathcal{Q}_0^9, \mathcal{R}_0^9$  in Figure 2 (cf. references to axioms  $A$  in  $\models^{(A)}$ ), by applying completion rules in Table 1 (cf. references to rules  $R$  in  $\models_R$ ). E.g.,  $r_0$  and  $r_3$  are respectively entailed to be roads with: (i) disruptions, (ii) some congested buses, both at time 7.

$$\mathcal{O}, \mathcal{P}_0^9(7) \models_{R_1, R_2, R_3, R_7}^{(3-4), (7), (18), (30)} DisruptedRoad(r_0) \quad (33)$$

$$\mathcal{O}, \mathcal{Q}_0^9 \cup \mathcal{R}_0^9(7) \models_{R_1, R_2, R_3, R_4}^{(5-6), (9), (12), (31-32)} \exists with.CongestedBus(r_3) \quad (34)$$

ABox axioms (31) in  $\mathcal{Q}_0^9$ , (32) in  $\mathcal{R}_0^9$  are both required to fire GCIs (5-6) and entail (34). We say that (34) emphasizes an “association” ( $\rightarrow$  in Figure 3) of  $\mathcal{Q}_0^9, \mathcal{R}_0^9$  through (5-6) in  $\mathcal{T}$ . Thus dynamic knowledge can be entailed by axioms from single (33) but also “associated” (34) evolving ontologies.

**Inductive Reasoning in Evolving Ontologies**

Axioms which enable knowledge association e.g., (5-6) are rarely modeled a priori in a background knowledge  $\mathcal{T}$  because of the uncertainty of evolving ontologies. An association of  $\mathcal{P}_0^9$  (events) with  $\mathcal{Q}_0^9$  (travel time) or  $\mathcal{R}_0^9$  (buses information) cannot be derived a priori but only a posteriori by analyzing data. Indeed (5-6) are specific to cities subject to changes. Capturing such “rules” (e.g., dashed  $\rightarrow$  in Figure 3) in  $\mathcal{T}$  would certainly extend the reasoning impact since they capture evolving knowledge. They could be used for inducing missing knowledge in  $\mathcal{Q}_0^9$  or  $\mathcal{R}_0^9$ . How to discover knowledge association across evolving ontologies  $\mathcal{P}$  and  $\mathcal{R}$  or  $\mathcal{Q}$  at time 7 with respect to  $\mathcal{T}$ ? We tackle this problem by mining knowledge associations as  $\mathcal{EL}^{++}$  rules.

**Association  $\mathcal{EL}^{++}$  Rules**

We revisit the concept of association rules (Agrawal, Imielinski, and Swami 1993) in the context of evolving ontologies through an  $\mathcal{EL}^{++}$  rule-based representation.

**Definition 2. (Association  $\mathcal{EL}^{++}$  Rule)**

Let  $\langle \mathcal{T}, \mathcal{A} \rangle$  be  $\mathcal{EL}^{++}$  axioms,  $\mathcal{P}_0^n, \mathcal{Q}_0^n$  be  $\mathcal{EL}^{++}$  evolving ontologies,  $\mathbb{B}, \mathbb{H}$  be atomsets where the set of variables in  $\mathbb{H}$ , or  $var(\mathbb{H})$ , is a subset of the variables in  $\mathbb{B}$ . An association  $\mathcal{EL}^{++}$  rule in  $\mathcal{P}_0^n \times \mathcal{Q}_0^n$  is a DL  $\mathcal{EL}^{++}$  rule  $\mathbb{B} \rightarrow \mathbb{H}$  (identified by atomset  $\mathbb{B} \cup \mathbb{H}$ ) such that  $\exists i \in [0, n]$ :  $bind(\mathbb{B}, \mathcal{T} \cup \mathcal{A} \cup \mathcal{P}_0^n(i))|_{var(\mathbb{H})} = bind(\mathbb{H}, \mathcal{T} \cup \mathcal{A} \cup \mathcal{Q}_0^n(i))$ .




Figure 3: How to Discover an Association ( $\rightarrow$ ) of Evolving Ontologies  $\mathcal{Q}, \mathcal{R}$  at time 7 with respect to  $\mathcal{T}$ ?

Definition 2 identifies an association as an  $\mathcal{EL}^{++}$  rule between atomsets  $\mathbb{B}, \mathbb{H}$  if they have the same bindings for their variables across two evolving ontologies at a time  $i$ . Contrary to (Lécué and Pan 2013), representing association as an arbitrary combination of ABox axioms, we consider  $\mathcal{EL}^{++}$  rule as a broader framework. Indeed it supports (i) associations which can be modeled by  $\mathcal{EL}^{++}$  rules, (ii) more generic rules since variables are accepted in atoms of  $\mathcal{EL}^{++}$  rules, instead of only allowing constants in the other case, (iii) native combination of  $\mathcal{EL}^{++}$  rule and axioms. In addition rules could be evaluated with respect to their bindings.

**Example 7. (Association  $\mathcal{EL}^{++}$  Rule)**

The rule (21-23) in Example 4 illustrates an association  $\mathcal{EL}^{++}$  rule from  $\mathcal{P}_0^9$  to  $\mathcal{Q}_0^9 \cup \mathcal{R}_0^9$ . The atomset of this rule is bound at time 5 by  $\{(e_1, r_0, r_1)\}$  and 7 by  $\{(e_3, r_0, r_3)\}$ .

We measure the interestingness of association rules by adapting the concepts of *support* (Definition 3) and *confidence* (Definition 5) introduced in the database community.

**Definition 3. (Atomset Support)**

Given axioms  $\mathcal{O} \doteq \langle \mathcal{T}, \mathcal{A} \rangle$ , an evolving ontology  $\mathcal{P}_0^n$ , atomset  $\mathbb{B}$ , the support of  $\mathbb{B}$ , noted  $\sigma(\mathbb{B})$ , in  $[0, 1]$  is defined by:

$$\sigma(\mathbb{B}) \doteq \frac{|\{i \in [0, n] \mid \exists \vec{a} \in \mathcal{N}_I : \mathcal{O}, \mathcal{P}_0^n(i) \models \mathbb{B}[\vec{a}]\}|}{n + 1} \quad (35)$$

where the expression  $|S|$  refers to the cardinality of  $S$ .

The support of atomset  $\mathbb{B}$  is the proportion of snapshots where  $\mathbb{B}$  has at least one binding  $\vec{a}$  in  $\mathcal{A} \cup \mathcal{P}_0^n$  with respect to  $\mathcal{T}$ . Since  $\mathbb{B}$  may have multiple bindings in  $\mathcal{A} \cup \mathcal{P}_0^n$  at any time  $i \in [0, n]$ , we capture their number in Definition 4.

**Definition 4. (Atomset Weight)**

Given  $\mathcal{EL}^{++}$  axioms  $\mathcal{O} \doteq \langle \mathcal{T}, \mathcal{A} \rangle$ , evolving ontology  $\mathcal{P}_0^n$  and atomset  $\mathbb{B}$ , the weight of  $\mathbb{B}$ , noted  $\omega(\mathbb{B})$ , is defined by:

$$\omega(\mathbb{B}) \doteq \sum_{i=0}^n |\{\vec{a} \in \mathcal{N}_I \mid \mathcal{O}, \mathcal{P}_0^n(i) \models \mathbb{B}[\vec{a}]\}| \quad (36)$$

**Example 8. (Atomsets Support and Weight)**

Let  $\mathcal{P}_5^9, \mathcal{Q}_5^9, \mathcal{R}_5^9$  be  $\mathcal{P}_0^9, \mathcal{Q}_0^9, \mathcal{R}_0^9$  restricted to  $[5, 7]$  where ABox statements related to  $e_4$  extends  $\mathcal{P}_5^9$  at time 7 cf. Table 2. This table illustrates the support  $\sigma$ , weight  $\omega$  of atomsets e.g.,  $\{(23)\}$  is bound in  $\mathcal{Q}_5^9 \cup \mathcal{R}_5^9$  at time 5 by  $\{(r_1)\}$  and 7 by  $\{(r_3)\}$ , but not at time 6, thus  $\sigma(\{(23)\})$  is  $2/3$ . The number of bindings of  $\{(23)\}$ , noted  $\omega(\{(23)\})$ , is 2 in  $\mathcal{Q}_5^9 \cup \mathcal{R}_5^9$ .

**Definition 5. (Confidence of an Association  $\mathcal{EL}^{++}$  Rule)**  
Let  $\mathbb{B} \rightarrow \mathbb{H}$  be an association  $\mathcal{EL}^{++}$  rule in  $\mathcal{P}_0^n \times \mathcal{Q}_0^n$ . The confidence  $\gamma$  of  $\mathbb{B} \rightarrow \mathbb{H}$  in  $(0, 1]^2$  is:

$$\gamma(\mathbb{B} \rightarrow \mathbb{H}) \doteq \left( \frac{\sigma(\mathbb{B} \cup \mathbb{H})}{\sigma(\mathbb{B})}, \frac{\omega(\mathbb{B} \cup \mathbb{H})}{\omega(\mathbb{B})} \right) \quad (37)$$

$\sigma(\mathbb{B} \cup \mathbb{H})$ ,  $\omega(\mathbb{B} \cup \mathbb{H})$  are support and weight of  $\mathbb{B} \rightarrow \mathbb{H}$  i.e., respectively: the proportion of snapshots in  $\mathcal{P}_0^n \cup \mathcal{Q}_0^n$  where  $\mathbb{B} \cup \mathbb{H}$  has at least one binding, and its number of bindings.

The confidence is defined as the percentage of (i) snapshots in  $\mathcal{P}_0^n \cup \mathcal{Q}_0^n$  where  $\mathbb{B} \cup \mathbb{H}$  has at least a binding with regard to those where  $\mathbb{B}$  has a binding, and (ii) bindings of  $\mathbb{B} \cup \mathbb{H}$  in  $\mathcal{P}_0^n \cup \mathcal{Q}_0^n$  with regard to those which bind  $\mathbb{B}$ . That is, they represent complementary conditional probabilities:

$$p(\mathcal{O}, \mathcal{Q}_0^n(i) \mid \mathbb{H}[\vec{a}] \mid \mathcal{O}, \mathcal{P}_0^n(i) \mid \mathbb{B}[\vec{a}]|_{var(\mathbb{H})}) \quad (38)$$

evaluated with respect to the number of (i) snapshots and (ii) bindings i.e., respectively  $\sigma$ - and  $\omega$ -related entry of (37).

Ontology	$\mathcal{P}_5^n$		$\mathcal{Q}_5^n$		$\mathcal{R}_5^n$	$\mathcal{Q}_5^n \cup \mathcal{R}_5^n$
Atomset $\mathbb{B}$	{(21)}	{(22)}	{(28)}	{(31)}	{(32)} <sup>*</sup>	{(23)}
Variable $\mathcal{V}$	( $x_1$ )	( $x_1, x_2, x_3$ )	( $x_3$ )	( $x_3$ )	( $x_4, x_3$ )	( $x_3$ )
Binding at Time	5	{( $e_1$ )}	{( $e_1, r_1, r_0$ )}	{( $r_1$ )}	{( $b_1, r_1$ )}	{( $r_1$ )}
	6	{( $e_2$ )}	{( $e_2, r_2, r_0$ )}	{( $r_2$ )}	{( $b_2, r_2$ )}	
	7	{( $e_3$ ), ( $e_4$ )}	{( $e_3, r_3, r_0$ ), ( $e_4, r_3, r_0$ )}	{( $r_3$ )}	{( $r_3$ )}	{( $b_3, r_3$ )}
$\sigma(\mathbb{B})$	1	1	1	1/3	1	2/3
$\omega(\mathbb{B})$	4	4	3	1	3	2

[\*] From now on all terms  $\mathcal{N}_7$  of (28), (31-32) are free variables in  $\mathcal{V}$ .

Table 2: Binding, Support and Weight of Atomsets  $\mathbb{B}$ .

**Example 9. (Confidence of an Association  $\mathcal{EL}^{++}$  Rule)**  
Confidence  $\gamma(\mathbb{B} \rightarrow \mathbb{H})$  with  $\mathbb{B} : \{(21), (22)\}$ ,  $\mathbb{H} : \{(23)\}$  is:

$$\left( \frac{\sigma(\{(21), (22), (23)\})}{\sigma(\{(21), (22)\})}, \frac{\omega(\{(21), (22), (23)\})}{\omega(\{(21), (22)\})} \right) \text{ i.e., } \left( \frac{2/3}{3/3}, \frac{3}{4} \right)$$

$\mathbb{B} \rightarrow \mathbb{H}$  is correct in  $2/3$  of time [5, 7] and its atomset  $\mathbb{B} \cup \mathbb{H}$  is bound by  $3/4$  of bindings of atomset  $\mathbb{B} : \{(21), (22)\}$ .

**Remark 1. (Rule Confidence and Ordering)**

The level of confidence of rules can be compared by analyzing their supports and weights since confidence is defined as a tuple (Definition 5) e.g.,  $\gamma(\mathbb{B}_1 \rightarrow \mathbb{H}_1) > \gamma(\mathbb{B}_2 \rightarrow \mathbb{H}_2)$  if

$$\frac{\sigma(\mathbb{B}_1 \cup \mathbb{H}_1)}{\sigma(\mathbb{B}_1)} > \frac{\sigma(\mathbb{B}_2 \cup \mathbb{H}_2)}{\sigma(\mathbb{B}_2)} \quad \frac{\omega(\mathbb{B}_1 \cup \mathbb{H}_1)}{\omega(\mathbb{B}_1)} > \frac{\omega(\mathbb{B}_2 \cup \mathbb{H}_2)}{\omega(\mathbb{B}_2)}$$

If conflict e.g., value of  $1^{st}$  element of  $\gamma(\mathbb{B}_1 \rightarrow \mathbb{H}_1)$  is better than  $1^{st}$  element of  $\gamma(\mathbb{B}_2 \rightarrow \mathbb{H}_2)$  but worse for  $2^{nd}$  element, we compare a weighted average of normalised components.

### Mining Association $\mathcal{EL}^{++}$ Rules

Mining  $\mathcal{EL}^{++}$  rules consists in generating all rules with a minimum support  $\sigma_{\min}$ , confidence  $\gamma_{\min}$ , weight  $\omega_{\min}$ . This can be decomposed (Agrawal, Imielinski, and Swami 1993) by: (i) finding all significant atomsets i.e., atomsets with support, weight above  $\sigma_{\min}$ ,  $\omega_{\min}$ , (ii) using them to generate rules that meet  $\gamma_{\min}$ . Algorithm 1 revisits WARMR (Dehaspe and Raedt 1997) to support  $\mathcal{EL}^{++}$  atomsets bindings, containment and weight. It finds all significant atomsets by exploiting the lattice structure the containment relation  $\subseteq_{\mathcal{T}}$  is

imposing on the space of atomsets to perform a breadth-first search.  $\mathcal{S}_k$  refers to the set of significant atomsets mined at depth  $k$  in the lattice while  $\mathcal{C}_k$  is the set of potential candidates for  $\mathcal{S}_k$ . Their elements are called  $k$ -atomsets i.e., atomsets of  $k$  atoms. Initially (line 4) the set of significant 1-atomsets  $\mathcal{S}_1$  is determined. A subsequent pass (line 5), say pass  $k$ , consists of two phases. First (line 6), the significant atomsets  $\mathcal{S}_{k-1}$  found in the  $(k-1)^{th}$  pass are used to generate the candidate atomsets  $\mathcal{C}_k$ , using Algorithm 2.  $\mathcal{P}_0^n$  is then analyzed (line 7) to determine support (line 10) and weight (line 11) of candidates  $\mathbb{C} \in \mathcal{C}_k$ , when bound in  $\mathcal{P}_0^n$  (line 9).

**Algorithm 1:** atomsets-mining( $\mathcal{O}_0^n, \sigma_{\min}, \omega_{\min}$ ).

```

1 Input:  $\mathcal{EL}^{++}$  axioms  $\mathcal{O} \doteq \langle \mathcal{T}, \mathcal{A} \rangle$ ;  $\mathcal{EL}^{++}$  evolving ontology  $\mathcal{P}_0^n$ ; Min. threshold of support  $\sigma_{\min}$  and weight  $\omega_{\min}$ .
2 Result: Set of significant atomsets.
3 begin
4    $\mathcal{S}_1 \leftarrow$  Set of significant 1-atomsets; % Initialization
5   foreach  $k \geq 2$  |  $\mathcal{S}_{k-1} \neq \emptyset$  do %  $k$ -atomsets on top of  $k-1$  ones
6      $\mathcal{C}_k \leftarrow$  atomsets-gen( $\mathcal{S}_{k-1}$ ); %  $k$ -atomsets Candidates
7     foreach point of time  $i \in [0, n]$  do % Snapshot  $\mathcal{P}_0^n(i)$ 
8       % Atomsets with bindings  $\vec{a}$  in  $\mathcal{P}_0^n(i)$ 
9       foreach  $\mathbb{C} \in \mathcal{C}_k$  |  $\exists \vec{a} : \mathcal{T}, \mathcal{A} \cup \mathcal{P}_0^n(i) \models \mathbb{C}[\vec{a}]$  do
10          $count(\mathbb{C}) \leftarrow count(\mathbb{C}) + 1$ ; % Needed for  $\sigma(\mathbb{C})$ 
11          $\omega(\mathbb{C}) \leftarrow \omega(\mathbb{C}) + |\{\vec{a} \mid \mathcal{T}, \mathcal{A} \cup \mathcal{P}_0^n(i) \models \mathbb{C}[\vec{a}]\}|$ ;
12       % Only significant atomsets are considered
13        $\mathcal{S}_k \leftarrow \{\mathbb{C} \in \mathcal{C}_k \mid \frac{count(\mathbb{C})}{(n+1)} \geq \sigma_{\min}, \omega(\mathbb{C}) \geq \omega_{\min}\}$ ;
14   return  $\bigcup_k \mathcal{S}_k$ ;

```

Algorithm 2 generates candidate  $(k+1)$ -atomsets from significant  $k$ -atomsets. In join-step (lines 5-7) where atomsets are sorted in their lexicographic order ( $\preceq_{lex}$ ),  $\mathcal{S}_k$  is combined with itself on the basis of its  $k$  common atoms. In the prune-step, we discard all atomsets that have a subset which does meet  $\sigma_{\min}$ ,  $\omega_{\min}$  i.e., not in  $\mathcal{S}_k$  (line 10). It is trivial to show that any atomset in  $\mathcal{C}_{k+1}$  is significant only if all subsets of size  $k$  are also significant by revisiting the results of (Agrawal et al. 1996) for  $\mathcal{EL}^{++}$  atomsets. Thus line 10 maintains completeness. We also prune  $(k+1)$ -atomsets which are redundant i.e., already contain(ed) by  $\mathcal{S}_k$  (line 11).

**Algorithm 2:** Atomsets Generation: atomsets-gen( $\mathcal{S}_k$ )

```

1 Input: A terminology  $\mathcal{T}$ ; Set of Significant  $k$ -atomsets  $\mathcal{S}_k$ .
2 Result: Set of Candidate  $(k+1)$ -atomsets  $\mathcal{C}_{k+1}$ .
3 begin
4   % Join-step of  $k$ -atomsets from the same level  $k$  to obtain  $\mathcal{C}_{k+1}$ 
5    $\mathcal{C}'_{k+1} \leftarrow \{\{S_1, \dots, S_k, T_k\} \mid \{S_1, \dots, S_{k-1}, S_k\} \in \mathcal{S}_k,$ 
6      $\{S_1, \dots, S_{k-1}, T_k\} \in \mathcal{S}_k,$ 
7      $S_k \preceq_{lex} T_k\}$ 
8   % Prune-step of  $(k+1)$ -atomsets
9    $\mathcal{C}_{k+1} \leftarrow \mathcal{C}'_{k+1} \setminus \{\{S_1, \dots, S_k, T_k\} \mid$ 
10     (i)  $\exists \mathbb{S} \subseteq \{S_1, \dots, S_k, T_k\}$  with  $|\mathbb{S}| = k$  such that  $\mathbb{S} \notin \mathcal{S}_k,$ 
11     (ii)  $\{T_k\} \subseteq_{\mathcal{T}} (\supseteq_{\mathcal{T}})\{S_k\}\}$  % Redundant  $k$ -atomsets
12   return  $\mathcal{C}_{k+1}$ ;

```

The complexity of Algorithm 1 is  $\Theta(|\mathcal{S}|^2 \times (n+1))$  where  $|\mathcal{S}|$  is the number of atoms in  $\mathcal{P}_0^n$ . The prune-step in Algorithm 2 controls the exponential growth of atomsets.

**Example 10. (Atomset Mining - Case  $k = 2$ )**

Let  $\{(21)\}, \{(22)\}, \{(20)\}$  be significant 1-atomsets. After the join-step of Algorithm 2 we obtain 2-atomsets  $\{(21), (22)\}, \{(22), (20)\}, \{(21), (20)\}$ . The last one is discarded during pruning (line 11) since  $\{(21)\} \subseteq_{\mathcal{T}} \{(20)\}$ .

For generating  $\mathcal{EL}^{++}$  rules with minimum confidence (Definition 5), we refer to ap-genrules (Agrawal et al. 1996). This procedure for large itemsets, with minor modifications e.g., rules representation (Definition 2), applies to significant atomsets. Its complexity is  $\Theta(\max_k |\mathcal{S}_k| \times k)$ , where  $|\mathcal{S}_k|$  is the number of significant  $k$ -atomsets.

**Knowledge Discovery in Evolving Ontologies**

Knowledge is discovered by (i) determining its representative rules (Definition 7), and (ii) exploiting their combination with background knowledge (Algorithm 3).

**Representative Association  $\mathcal{EL}^{++}$  Rules**

Although measures of support, weight, confidence largely pruned uninteresting rules, the remaining ones are not necessarily all fundamental to discover new knowledge. Indeed some can be logically derived from a minimal set of rules, which represents the “representative” inductive rules. Definition 7 formalizes this concept of representative rule by refining the notion of “cover” (Zaki 2000) in Definition 6.

**Definition 6. (Association  $\mathcal{EL}^{++}$  Rules Cover)**

Let  $\mathcal{R}$  be association  $\mathcal{EL}^{++}$  rules. The cover of a rule  $\rho : \mathbb{B} \rightarrow \mathbb{H}$  in  $\mathcal{R}$  is defined by  $\Gamma(\rho) \doteq \{\mathbb{A} \rightarrow \mathbb{H} \text{ in } \mathcal{R} \mid \mathbb{A} \subseteq_{\mathcal{T}} \mathbb{B}\}$ .

The rule  $\rho$ , covering rules in  $\Gamma(\rho)$ , synthesizes all rules deriving same consequents as  $\rho$  from any contained antecedents. It captures all rules which convey to similar knowledge but requiring more specific knowledge than  $\rho$ .

**Definition 7. (Representative Association  $\mathcal{EL}^{++}$  Rules)**

A set of representative association DL rules of  $\mathcal{R}$ , denoted by  $\mathcal{R}^*$ , is defined by  $\{\rho \in \mathcal{R} \mid \nexists \rho' \in \mathcal{R}, \rho' \neq \rho, \rho \in \Gamma(\rho')\}$ .

A set of representative association DL rules is a least set of rules covering (Definition 6) all rules in  $\mathcal{R}$ . It captures a synthesis set of  $\mathcal{R}$ , which is required to derive any rule in  $\mathcal{R}$ . Thus all rules in a cover can be derived from their representative rule by atomset containment.

**Proposition 1. (Minimum Support, Weight of Rules in  $\mathcal{R}^*$ )**

$\sigma(\rho^*) \geq \sigma_{min}$  and  $\omega(\rho^*) \geq \omega_{min} \forall \rho^* \in \mathcal{R}^*$  iff  $\exists \rho \in \mathcal{R}$  | (i)  $\sigma(\rho) \geq \sigma_{min}$ , (ii)  $\omega(\rho) \geq \omega_{min}$  and (iii)  $\rho \in \Gamma(\rho^*)$ .

Proposition 1 states that any representative rule has minimum support, weight if it covers a rule with minimum support, weight. The proof is trivial per Definitions 6 and 7.

**Example 11. (Rules Cover and Representative Rules)**

Let  $\mathcal{R}$  be  $\{(20), (22)\} \rightarrow \{(23)\}, \{(19), (22)\} \rightarrow \{(23)\}, \{(21), (22)\} \rightarrow \{(23)\}$  in Figure 4. The first rule covers the last two since antecedents (19), (21) are contained by (20) cf. Examples 3, 10 while their consequent are similar.  $\mathcal{R}^*$  is  $\{(20), (22)\} \rightarrow \{(23)\}$ , covering the other two rules.

The semantics of atomsets is crucial to prune large sets of rules through its representative rules. The more semantic relations (atomsets containment) among evolving ontologies the more (resp. less) covered (resp. representative) rules.

**Consistent Inductive Knowledge Discovery (CIKD)**

Algorithm 3 presents our general approach CIKD for inducing consistent knowledge from  $\mathcal{P}_0^n$  to  $\mathcal{Q}_0^n$  at time  $i$ .




Figure 4:  $\mathbb{B} \rightarrow \mathbb{H}$  as Representative Rule of  $\mathbb{C} \rightarrow \mathbb{H}, \mathbb{D} \rightarrow \mathbb{H}$ .

All significant rules  $\mathcal{R}$  in  $\mathcal{P}_0^n \times \mathcal{Q}_0^n$ , which are generated from significant atomsets (line 5), are identified by adapting ap-genrules (Agrawal et al. 1996) in line 7. Besides atom(sets) to be substituted by item(sets), our revisited definitions of support and confidence needs to be applied. Its representative rules  $\mathcal{R}^*$  are then elaborated (line 8). Proposition 1 ensures minimum support, weight. All representative rules  $\rho : \mathbb{B} \rightarrow \mathbb{H}$ , filtered by confidence (line 10), are evaluated at time  $i$  of  $\mathcal{P}_0^n, \mathcal{Q}_0^n$  (line 13). We checked consistency of  $\mathcal{Q}_0^n(i)$  with knowledge  $\mathbb{H}$  derived from  $\rho$ , especially for all bindings  $\vec{a}$  of  $\mathbb{B}$  with respect to  $\mathcal{P}_0^n(i)$ . This ensures that only consistent knowledge  $\mathbb{H}(\vec{a})$  is derived from  $\mathbb{B}(\vec{a})$  and added to  $\mathcal{Q}_0^n(i)$ . This condition validates the consistent combination TBox, ABox, rules axioms at time  $i$  of  $\mathcal{P}_0^n, \mathcal{Q}_0^n$ .

**Algorithm 3:** CIKD  $\langle \mathcal{T}, \mathcal{P}_0^n, \mathcal{Q}_0^n, i, \sigma_{min}, \omega_{min}, \gamma_{min} \rangle$

```

1 Input: Terminology  $\mathcal{T}$ ; Evolving Ontologies  $\mathcal{P}_0^n, \mathcal{Q}_0^n$ ; Time  $i$ ;
   Min. support  $\sigma_{min}$ , weight  $\omega_{min}$ , confidence  $\gamma_{min}$ .
2 Result: Consistent knowledge  $\mathcal{Q}_0^n(i)$  induced from  $\mathcal{P}_0^n \times \mathcal{Q}_0^n$ .
3 begin
4   %  $\mathcal{S}$  : Set of significant atomsets in evolving ontology  $\mathcal{P}_0^n \cup \mathcal{Q}_0^n$ 
5    $\mathcal{S} \leftarrow \text{atomsets-mining}(\mathcal{P}_0^n \cup \mathcal{Q}_0^n, \sigma_{min}, \omega_{min})$ ;
6   %  $\mathcal{R}$  : Set of rules in  $\mathcal{P}_0^n \times \mathcal{Q}_0^n$  with minimum confidence  $\gamma_{min}$ 
7    $\mathcal{R} \leftarrow \text{ap-genrules}(\mathcal{S}, \mathcal{P}_0^n \times \mathcal{Q}_0^n, \gamma_{min})$ ; % Version adapted
8    $\mathcal{R}^* \leftarrow \{\rho \in \mathcal{R} \mid \nexists \rho' \in \mathcal{R}, \rho' \neq \rho, \rho \in \Gamma(\rho')\}$ ; % Definition 7
9   % All representative rules  $\rho : \mathbb{B} \rightarrow \mathbb{H}$  with highest confidence
10  foreach rule  $\rho : \mathbb{B} \rightarrow \mathbb{H}$  in  $\mathcal{R}^* \mid \nexists \rho' \in \mathcal{R}^*, \gamma(\rho') > \gamma(\rho)$  do
11    % Consistency of rule  $\rho$  at time  $i$  of  $\mathcal{P}_0^n \times \mathcal{Q}_0^n$ 
12    if  $\mathcal{T} \cup \mathcal{Q}_0^n(i) \cup \{\mathbb{H}(\vec{a})\} \not\models \top \sqsubseteq \perp$ 
13       $(\forall \vec{a} \mid \mathcal{T} \cup \mathcal{P}_0^n(i) \models \mathbb{B}[\vec{a}]_{\text{var}(\mathbb{H})})$ 
14      %  $\mathcal{Q}_0^n(i)$  and knowledge  $\mathbb{H}[\vec{a}]$  from inductive reasoning
15      then  $\mathcal{Q}_0^n(i) \leftarrow \mathcal{Q}_0^n(i) \cup \{\mathbb{H}[\vec{a}]\}$ ;
16  return  $\mathcal{Q}_0^n(i)$ ;

```

Its complexity is polynomial since (i) the representative rules generation (lines 4-8) is polynomial in the number of snapshots, atoms (line 5 i.e., Algorithms 1,2),  $k$ -atomsets (line 7), rules (Definition 7); (ii) their consistency checking (line 13), together with (iii) atomset binding, containment are polynomial in  $\mathcal{EL}^{++}$  (Bienvenu, Lutz, and Wolter 2012).

**Example 12. (Consistent Knowledge Discovery)**

Suppose  $\mathcal{Q}_5^7, \mathcal{R}_5^7$  not exposed at time 5 due to defective sensors.  $\mathcal{R}_5^7(5)$  cannot be deduced from  $\mathcal{T}$  neither  $\mathcal{P}_5^7(5)$ . So we apply Algorithm 3 with e.g.,  $\langle \mathcal{T}, \mathcal{P}_5^7, \mathcal{R}_5^7, 5, 2/3, 2, (2/3, 3/4) \rangle$ . This leads to the representative rule (among others) in Example 11, which derives consistent knowledge in  $\mathcal{R}_5^7(5)$ :  $(\text{Road} \sqcap \exists \text{with.CongestedBus})(r_1)$ . Applying the same approach to  $\mathcal{R}_5^7(6)$  ends up with consistent but not accurate knowledge, hence the use of support, weight, confidence.

## Experimental Results

We report (i) scalability, (ii) accuracy of Algorithm 3 (noted [A3]). The experiments have been conducted on a server of 4 Intel(R) Xeon(R) X5650, 2.67GHz cores, 6GB RAM.

• **Context:** Dynamic data: [a] weather, [b] travel time, [c] incident, [d] event, [e] bus location in Dublin (Table 3) is transformed in  $\mathcal{EL}^{++}$  using mapping techniques. We used a fixed (off-line) window of  $n = 4,320$  snapshots (48 hours) for mining. We considered an ontology  $\mathcal{T}$  of 55 concepts and 19 roles. The objective is to derive the status of buses (by mining  $\mathcal{EL}^{++}$  rules across semantic data i.e., association of types of weather, travel condition, incident, events, bus delays) when not retrievable (due to 34% of missing data).

DataSet	Size (Mb / Day)	#Axioms / Update	#RDF Triples / Update
[a] Weather	3	53	318
[b] Travel Time	43	270	810
[c] Incident	0.1	81	324
[d] Event	9.5	480	1,150
[e] Bus	120	3,000	12,000

Table 3: Dynamic Data / Evolving Ontologies Details.

• **Scalability Result:** Figure 5 reports scalability of [A3] ( $(\sigma_{\min}, \omega_{\min}, \gamma_{\min})$  being  $(1/2, n, (2/3, 3/4))$ ) and compares its computation time with (Dehaspe and Raedt 1997) using inductive logic noted [D97], (Srikant and Agrawal 1995) using basic taxonomies noted [S95] and (Lécué and Pan 2013) using ABox axioms-related rules noted [L13]. The evaluation is achieved on different (i) variations of  $\mathcal{T}$  i.e.,  $\mathcal{T}[0]$ ,  $\mathcal{T}[50]$ ,  $\mathcal{T}[100]$  capturing a proportion of 0%, 50%, 100% of GCIs, RIs of  $\mathcal{T}$ , (ii) number of evolving ontologies  $|s|$  i.e.,  $\{1, 3, 5\}$  for respectively [e], [c,d,e], [a,b,c,d,e] in Table 3.




Figure 5: Scalability. 1<sup>st</sup> x axis: Approaches on 5 Test Cases. 1<sup>st</sup> y axis: Computation Time in Seconds. 2<sup>nd</sup> x axis: 5 Types of Semantic and Evolving Ontologies Configurations. 2<sup>nd</sup> y axis: Search Space of Association Rules.

The scalability of all approaches decreases with the number of evolving ontologies, axioms. [D97] is the most scalable (when  $|s| > 1$ ) since it supports pruning strategies. Its performance remains unchanged for any variation of  $\mathcal{T}$  since no semantics is supported. [S95], [A3] improve their scalability by clustering rules using semantics, which highly reduces the number of representative rules for [A3]. The off-line version of [L13] is the least scalable since knowledge discovery is based on the high number significant rules. Our approach outperforms (i) [S95] when numerous evolving ontologies occur, (ii) [D97] when more semantics is captured by  $\mathcal{T}$ .

• **Accuracy Result:** Figure 6 reports accuracy with Table 4 as configuration. The weight is interpreted in [A3].  $\mathcal{T}[50]$  and all ontologies are considered. Accuracy is measured by validating induced knowledge over 10,000 past situations where buses status is known. All approaches are compared as they expose similar results with different representation.

	$c_1$	$c_2$	$c_3$	$c_4$	$c_5$	$c_6$	$c_7$	$c_8$
$\sigma_{\min}$	.4	.4	.4	.4	.8	.8	.8	.8
$\gamma_{\min}$	(.4, .4)	(.4, .8)	(.8, .4)	(.8, .8)	(.4, .4)	(.4, .8)	(.8, .4)	(.8, .8)

Table 4: Support  $\sigma_{\min}$ , Confidence  $\gamma_{\min}$  Configuration.

[A3] outperforms all approaches, even significantly when (i) weight associated to confidence  $\gamma_{\min}$  is higher than .4, (ii) support  $\sigma_{\min}$  is .8. The experiments v.s. [L13] show that genericity, representativeness, weight of rules largely contribute in reducing their quantity while improving quality.




Figure 6: Accuracy. 1<sup>st</sup> x axis: Approaches on 8 Test Cases. 1<sup>st</sup> y axis: Accuracy of Discovered Knowledge. 2<sup>nd</sup> x axis: 8 Types of Support / Confidence Configurations (Table 4).

• **Lessons Learnt:** The semantics of rules and its atomsets together with representativeness benefits classical rules mining approaches. Our approach, as a variant of [L13], [D97], [S95], benefits from (i) [L13] to discover association, (ii) [D97] to prune atomsets (for scalability), (iii) [S95] to capture their semantics (for consistency, accuracy). The scalability (accuracy) of knowledge discovery is negatively (positively) impacted by the number of data sources, snapshots, axioms c.f. Algorithms 1, 2. Their number are critical as they drive heterogeneity in rules, which could improve accuracy, but not scalability. It would be worst with more expressive DLs due to binding and containment checks.

## Conclusion and Future Work

Our approach, combining inductive and deductive reasoning, discovers consistent knowledge by mining and applying association  $\mathcal{EL}^{++}$  rules across DL-augmented dynamic data. Existing approaches learn knowledge from raw data while we exploit its semantics and consistency during the learning phase. Semantics was essential for (i) capturing consistent knowledge across evolving ontologies, (ii) raising its accuracy, (iii) improving scalability through identification of representative rules. Experiments have shown scalable, accurate, consistent knowledge discovery in Dublin.

In future work we will investigate scalable and incremental re-adjustment of rules in a context of streaming data.

## References

- Agrawal, R.; Mannila, H.; Srikant, R.; Toivonen, H.; and Verkamo, A. I. 1996. Fast discovery of association rules. In *Advances in Knowledge Discovery and Data Mining*. AAAI/MIT Press. 307–328.
- Agrawal, R.; Imielinski, T.; and Swami, A. N. 1993. Mining association rules between sets of items in large databases. In *SIGMOD Conference*, 207–216.
- Anicic, D.; Fodor, P.; Rudolph, S.; and Stojanovic, N. 2011. Ep-sparql: a unified language for event processing and stream reasoning. In *Proceedings of the 20th international conference on World wide web*, 635–644. ACM.
- Baader, F., and Nutt, W. 2003. In *The Description Logic Handbook: Theory, Implementation, and Applications*.
- Baader, F.; Brandt, S.; and Lutz, C. 2005. Pushing the el envelope. In *IJCAI*, 364–369.
- Baader, F.; Brandt, S.; and Lutz, C. 2008. Pushing the el envelope further. In *OWLED*.
- Bienvenu, M.; Lutz, C.; and Wolter, F. 2012. Query containment in description logics reconsidered. In *KR*.
- Dehaspe, L., and Raedt, L. D. 1997. Mining association rules in multiple relations. In *ILP*, 125–132.
- Dietterich, T. G., and Michalski, R. S. 1981. Inductive learning of structural descriptions: Evaluation criteria and comparative review of selected methods. *Artificial intelligence* 16(3):257–294.
- Fanizzi, N.; d’Amato, C.; and Esposito, F. 2010. Induction of concepts in web ontologies through terminological decision trees. In *ECML/PKDD (1)*, 442–457.
- Galárraga, L. A.; Teflioudi, C.; Hose, K.; and Suchanek, F. M. 2013. AMIE: association rule mining under incomplete evidence in ontological knowledge bases. In *22nd International World Wide Web Conference, WWW ’13, Rio de Janeiro, Brazil, May 13-17, 2013*, 413–422.
- Glimm, B.; Horrocks, I.; Lutz, C.; and Sattler, U. 2007. Conjunctive query answering for the description logic shiq. In *IJCAI*, 399–404.
- Huang, Z., and Stuckenschmidt, H. 2005. Reasoning with multi-version ontologies: A temporal logic approach. In *ISWC*, 398–412.
- Krötzsch, M.; Rudolph, S.; and Hitzler, P. 2008. Description logic rules. In *ECAI*, 80–84.
- Labrinidis, A., and Jagadish, H. 2012. Challenges and opportunities with big data. *Proceedings of the VLDB Endowment* 5(12):2032–2033.
- Lécué, F., and Pan, J. Z. 2013. Predicting knowledge in an ontology stream. In *IJCAI*.
- Lécué, F. 2012. Diagnosing changes in an ontology stream: A dl reasoning approach. In *AAAI*.
- Ramaswamy, S.; Rastogi, R.; and Shim, K. 2000. Efficient algorithms for mining outliers from large data sets. In *ACM SIGMOD Record*, volume 29, 427–438. ACM.
- Reiter, R. 1980. A logic for default reasoning. *Artificial intelligence* 13(1):81–132.
- Sadilek, A.; Kautz, H. A.; and Silenzio, V. 2012. Predicting disease transmission from geo-tagged micro-blog data. In *AAAI*.
- Song, X.; Zhang, Q.; Sekimoto, Y.; and Shibasaki, R. 2014. Intelligent system for urban emergency management during large-scale disaster. In *AAAI*, 458–464.
- Srikant, R., and Agrawal, R. 1995. Mining generalized association rules. In *VLDB*, 407–419.
- Valle, E. D.; Ceri, S.; van Harmelen, F.; and Fensel, D. 2009. It’s a streaming world! reasoning upon rapidly changing information. *IEEE Intelligent Systems* 24(6):83–89.
- Völker, J., and Niepert, M. 2011. Statistical schema induction. In *The Semantic Web: Research and Applications - 8th Extended Semantic Web Conference, ESWC 2011, Heraklion, Crete, Greece, May 29-June 2, 2011, Proceedings, Part I*, 124–138.
- Zaki, M. J. 2000. Generating non-redundant association rules. In *KDD*, 34–43.